


p
=



l
y


pixel =

play

Pixel makes creativity a game.
Colours, textures and patterns.
Combined with your creative skill.
A chance to experiment and surprise.
Take a risk. Change your mind.
Switch direction. Provoke a reaction.
Advance to next level inspiration.
Tweak to your liking.
Think, then rethink.
Play out the possibilities.
Pixel is all about potential.
It's time to make your mark.
Ready to play?

p

LAy





pixel =
character

Endless possibilities begin with one decision.
Select your character. Shift or Static?
Then explore the look, feel and texture of each.



Make your choice
or play together.

LEFT PAGE
SHIFT ADJUST 1417
SHIFT DEFLECT 3366


RIGHT PAGE
STATIC NUMERICAL 1417
STATIC GAME 3366
TABLES BY OWN WORLD



pixel =
colours

With 30 playful colours to explore,
Pixel's spectrum invites next-level innovation...
and a generous splash of fun.

STATIC VARIOUS COLOURS



pixel =
flexibility



Take a chance and change direction.
Pixel lets you twist and flip the everyday
with fresh combinations.

SHIFT DEVELOP 9800
SHIFT CONVERT 9975
STATIC FRACTION 0775
STATIC DATA 1940
STATIC TECHNOLOGY 4067
STATIC CAPTURE 6712
FURNITURE BY OWN WORLD



pixel =

agility



Designed with versatility in mind, Pixel works wonderfully well with other flooring like our woven vinyl. Prepare for clever new combinations you didn't see coming.

FABRIC RESOLVE 1261
FABRIC ENRICH 1257
SHIFT VARIATION 4672
SHIFT DEVIATE 6062
CHAIR BY ECF
TABLE BY OWN WORLD

WOVN
Fabric



pixel =


speed

Innovation needs streamlined momentum.
With Signature's extensive instock program,
we're ready to deliver quickly,
deftly and with all the right moves.

STATIC DECIMAL 5459
STATIC BALANCE 9975
STATIC FRAGMENT 9800
CHAIR BY OWN WORLD

Pixel does more than look smart.
We bring collaborative, proactive
heads together, to help you create
inspired results.

pixel =
smart









COMFI BAK®
Comfi Bak® offers better acoustic
performance, thermal resistance
and of course, comfort underfoot
Shift Comfi Bak® available in stock
50m² minimum applies to Static

GLOBAL GREENTAG®
Pixel's Shift and Static ranges
are GreenTag® GreenRate
Level A Certified

SHAPES®
Pixel's Shift and Static ranges can be
ordered in 10 Shapes® by Signature
Shift available in stock in selected
shapes and colours – refer to
product swatches
50m² minimum applies to non-stock
options



SHAPES® BY SIGNATURE



SHIFT

x30


Shift and Static have 30 colours each to choose from and are always available in stock.

Swatches marked with a hexagon, pentagon and right-angle icon indicate Shapes by Signature available in stock. 50m² minimum applies to non-stock options.


































Make your choice.

It's time to play.




STATIC x30



 <p>STATIC RESOLUTION 8242</p>	 <p>STATIC COMPONENT 5315</p>	 <p>STATIC DECIMAL 5459</p>	 <p>STATIC DOT 3586</p>	 <p>STATIC PHASE 2335</p>	 <p>STATIC NUMERICAL 1417</p>	 <p>STATIC STATISTIC 0099</p>	 <p>STATIC FRAGMENT 9800</p>	 <p>STATIC PARTICLE 1007</p>	 <p>STATIC FRACTION 0775</p>
 <p>STATIC NOISE 2261</p>	 <p>STATIC SCREEN 6074</p>	 <p>STATIC RADIO 6062</p>	 <p>STATIC FLECK 3365</p>	 <p>STATIC GAME 3366</p>	 <p>STATIC COMPUTE 1799</p>	 <p>STATIC INGOT 1700</p>	 <p>STATIC SQUARED 1675</p>	 <p>STATIC BALANCE 9975</p>	 <p>STATIC ALGORITHM 8948</p>
 <p>STATIC DATA 1940</p>	 <p>STATIC CAPTURE 6712</p>	 <p>STATIC TECHNOLOGY 4067</p>	 <p>STATIC DIGITAL 0419</p>	 <p>STATIC SHAKE 2131</p>	 <p>STATIC SHUTTER 4672</p>	 <p>STATIC EXPOSURE 7147</p>	 <p>STATIC SYNC 9447</p>	 <p>STATIC ZOOM 4594</p>	 <p>STATIC BINARY 8902</p>

specifications



product	SHIFT
construction	multi-level loop
yarn/fibre	solution dyed nylon
pile weight	646g/m ²
pile height	4mm
gauge	1/10
tile size	500mm x 500mm
total thickness	7.0mm
carton size	5m ²
total weight	5.0kg/m ²
dimensional stability	< 0.15%
backing	Thermo Bak™
electrostatic propensity	< 2.0kv
fire rating ISO 9239.1	6.5 kw/m ² critical radiant flux
recommended adhesive	RLA Polymers GS300
installation method	quarter turn, directional, ashlar, brick
availability	in stock
Comfi Bak® option	in stock
Shapes® option	in stock or 50m ² minimum*
traffic	extra heavy duty commercial
warranty	15 year limited
fire	suitable all areas
stain/soil	Ultra Gard (Thermo chemical treatment)
sustainability	GreenTag® GreenRate Level A certified

product	SHIFT COMFI BAK®
construction	multi-level loop
yarn/fibre	solution dyed nylon
pile weight	646g/m ²
pile height	4mm
gauge	1/10
tile size	500mm x 500mm
total thickness	9.5mm
carton size	5m ²
total weight	4.2kg/m ²
dimensional stability	< 0.15%
backing	Comfi Bak®
electrostatic propensity	< 2.0kv
fire rating ISO 9239.1	9.0 kw/m ² critical radiant flux
recommended adhesive	RLA Polymers GS300
installation method	quarter turn, directional, ashlar, brick
availability	in stock
Shapes® option	50m ² minimum
traffic	extra heavy duty commercial
warranty	15 year limited
fire	suitable all areas
stain/soil	Ultra Gard (Thermo chemical treatment)
sustainability	GreenTag® GreenRate Level A certified

product	STATIC
construction	multi-level loop
yarn/fibre	solution dyed nylon
pile weight	646g/m ²
pile height	4mm
gauge	1/10
tile size	500mm x 500mm
total thickness	7.0mm
carton size	5m ²
total weight	5.0kg/m ²
dimensional stability	< 0.15%
backing	Thermo Bak™
electrostatic propensity	< 2.0kv
fire rating ISO 9239.1	> 5.3 kw/m ² critical radiant flux
recommended adhesive	RLA Polymers GS300
installation method	quarter turn, directional, ashlar, brick
availability	in stock
Comfi Bak® option	50m ² minimum
Shapes® option	50m ² minimum
traffic	extra heavy duty commercial
warranty	15 year limited
fire	suitable all areas
stain/soil	Ultra Gard (Thermo chemical treatment)
sustainability	GreenTag® GreenRate Level A certified



Declare.



ecospecifier global
GREEN TAG
CERTIFIED



SPECIFICATIONS ARE SUBJECT TO MANUFACTURING TOLERANCES AND MAY BE CHANGED WITHOUT PRIOR NOTICE. DYE LOTS MAY VARY IN COLOUR FROM SAMPLE AND BETWEEN PRODUCTION LOTS. ALL PRODUCT PURCHASES ARE SUBJECT TO SIGNATURE FLOORCOVERINGS STANDARD TERMS AND CONDITIONS OF SALE. PLEASE REFER TO OUR INSTALLATION GUIDELINE, MAINTENANCE MANUAL AND WARRANTY DOCUMENT FOR FURTHER CLARIFICATION. AS PER COMPETITION & CONSUMER ACT (CCA): "OUR GOODS COME WITH GUARANTEES THAT CANNOT BE EXCLUDED UNDER THE AUSTRALIAN CONSUMER LAW. YOU ARE ENTITLED TO A REPLACEMENT OR REFUND FOR A MAJOR FAILURE AND COMPENSATION FOR ANY OTHER REASONABLY FORESEEABLE LOSS OR DAMAGE. YOU ARE ALSO ENTITLED TO HAVE THE GOODS REPAIRED OR REPLACED IF THE GOODS FAIL TO BE OF ACCEPTABLE QUALITY AND THE FAILURE DOES NOT AMOUNT TO A MAJOR FAILURE." 07/2019 ©

* REFER TO PRODUCT SWATCHES FOR STOCKED REFERENCES.

Signature

innovation & inspiration

